




Contents lists available at ScienceDirect

# International Journal of Nursing Studies

journal homepage: [www.elsevier.com/locate/ns](http://www.elsevier.com/locate/ns)

## Editorial

# COP27 Climate Change Conference: Urgent action needed for Africa and the world



*Wealthy nations must step up support for Africa and vulnerable countries in addressing past, present and future impacts of climate change*

The 2022 report of the Intergovernmental Panel on Climate Change (IPCC) paints a dark picture of the future of life on earth, characterised by ecosystem collapse, species extinction, and climate hazards such as heatwaves and floods (IPCC, 2022). These are all linked to physical and mental health problems, with direct and indirect consequences of increased morbidity and mortality. To avoid these catastrophic health effects across all regions of the globe, there is broad agreement—as 231 health journals argued together in 2021—that the rise in global temperature must be limited to less than 1.5 °C compared with pre-industrial levels.

While the Paris Agreement of 2015 outlines a global action framework that incorporates providing climate finance to developing countries, this support has yet to materialise (UN, 2022). COP27 is the fifth Conference of the Parties (COP) to be organised in Africa since its inception in 1995. Ahead of this meeting, we—as health journal editors from across the continent—call for urgent action to ensure it is the COP that finally delivers climate justice for Africa and vulnerable countries. This is essential not just for the health of those countries, but for the health of the whole world.

### **Africa has suffered disproportionately although it has done little to cause the crisis**

The climate crisis has had an impact on the environmental and social determinants of health across Africa, leading to devastating health effects (Climate Investment Funds, 2020). Impacts on health can result directly from environmental shocks and indirectly through socially mediated effects (WHO, 2016). Climate change-related risks in Africa include flooding, drought, heatwaves, reduced food production, and reduced labour productivity (Trisos et al., 2022).

Droughts in sub-Saharan Africa have tripled between 1970 and 79 and 2010–2019 (World Bank, 2021). In 2018, devastating cyclones impacted three million people in Malawi, Mozambique and Zimbabwe (World Bank, 2021). In west and central Africa, severe flooding resulted in mortality and forced migration from loss of shelter, cultivated land, and livestock (Opoku et al., 2021). Changes in vector ecology brought about by floods and damage to environmental hygiene has led to increases in diseases across sub-Saharan Africa, with rises in malaria, dengue fever, Lassa fever, Rift Valley fever, Lyme disease, Ebola virus, West Nile virus and other infections (Evans and Munslow, 2021; Stawicki et al., 2021). Rising sea levels reduce water quality, leading to water-borne diseases, including diarrhoeal diseases, a leading cause of mortality in Africa (Evans and Munslow, 2021). Extreme weather

damages water and food supply, increasing food insecurity and malnutrition, which causes 1.7 million deaths annually in Africa (African Climate Policy Centre, 2013). According to the Food and Agriculture Organisation of the United Nations, malnutrition has increased by almost 50% since 2012, owing to the central role agriculture plays in African economies (Climate Change is an Increasing Threat to Africa, 2020). Environmental shocks and their knock-on effects also cause severe harm to mental health (Atwoli et al., 2022). In all, it is estimated that the climate crisis has destroyed a fifth of the gross domestic product (GDP) of the countries most vulnerable to climate shocks (Vulnerable twenty group, 2020).

The damage to Africa should be of supreme concern to all nations. This is partly for moral reasons. It is highly unjust that the most impacted nations have contributed the least to global cumulative emissions, which are driving the climate crisis and its increasingly severe effects. North America and Europe have contributed 62% of carbon dioxide emissions since the Industrial Revolution, whereas Africa has contributed only 3% (Ritchie, n.d.).

### **The fight against the climate crisis needs all hands on deck**

Yet it is not just for moral reasons that all nations should be concerned for Africa. The acute and chronic impacts of the climate crisis create problems like poverty, infectious disease, forced migration, and conflict that spread through globalised systems (Bilotta and Botti, 2022). These knock-on impacts affect all nations. COVID-19 served as a wake-up call to these global dynamics and it is no coincidence that health professionals have been active in identifying and responding to the consequences of growing systemic risks to health. But the lessons of the COVID-19 pandemic should not be limited to pandemic risk (WHO, 2021; Al-Mandhari et al., 2022). Instead, it is imperative that the suffering of frontline nations, including those in Africa, be the core consideration at COP27: in an interconnected world, leaving countries to the mercy of environmental shocks creates instability that has severe consequences for all nations.

The primary focus of climate summits remains to rapidly reduce emissions so that global temperature rises are kept to below 1.5 °C. This will limit the harm. But, for Africa and other vulnerable regions, this harm is already severe. Achieving the promised target of providing \$100bn of climate finance a year is now globally critical if we are to forestall the systemic risks of leaving societies in crisis. This can be done by ensuring these resources focus on increasing resilience to the existing and inevitable future impacts of the climate crisis, as well as on supporting vulnerable nations to reduce their greenhouse gas emissions: a parity of esteem between adaptation and mitigation. These resources should come through grants not loans, and be urgently scaled

up before the current review period of 2025. They must put health system resilience at the forefront, as the compounding crises caused by the climate crisis often manifest in acute health problems. Financing adaptation will be more cost-effective than relying on disaster relief.

Some progress has been made on adaptation in Africa and around the world, including early warning systems and infrastructure to defend against extremes. But frontline nations are not compensated for impacts from a crisis they did not cause. This is not only unfair, but also drives the spiral of global destabilisation, as nations pour money into responding to disasters, but can no longer afford to pay for greater resilience or to reduce the root problem through emissions reductions. A financing facility for loss and damage must now be introduced, providing additional resources beyond those given for mitigation and adaptation. This must go beyond the failures of COP26 where the suggestion of such a facility was downgraded to “a dialogue” (Evans et al., 2021).

The climate crisis is a product of global inaction, and comes at great cost not only to disproportionately impacted African countries, but to the whole world. Africa is united with other frontline regions in urging wealthy nations to finally step up, if for no other reason than that the crises in Africa will sooner rather than later spread and engulf all corners of the globe, by which time it may be too late to effectively respond. If so far they have failed to be persuaded by moral arguments, then hopefully their self-interest will now prevail.

### Provenance and peer review

Commissioned; not externally peer reviewed. This editorial is authored by the editors of African health journals and is being published by over 200 leading health journals around the world.

### Declaration of Competing Interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

**Tweetable abstract:** Wealthy nations must deliver \$100bn each year to support Africa and other vulnerable regions to address past, present and future impacts of climate change.

### References

- African Climate Policy Centre, 2013. Climate Change and Health in Africa: Issues and Options. Available from: [https://archive.uneca.org/sites/default/files/PublicationFiles\\_policy\\_brief\\_12\\_climate\\_change\\_and\\_health\\_in\\_africa\\_issues\\_and\\_options.pdf](https://archive.uneca.org/sites/default/files/PublicationFiles_policy_brief_12_climate_change_and_health_in_africa_issues_and_options.pdf). (Accessed 9 December 2022).
- Al-Mandhari, A., Al-Yousfi, A., Malkawi, M., El-Adawy, M., 2022. “Our planet, our health”: saving lives, promoting health and attaining well-being by protecting the planet – the Eastern Mediterranean perspectives. *East Mediterr. Health J.* 28 (4), 247–248. <https://doi.org/10.26719/2022.28.4.247>.
- Atwoli, L., Muhia, J., Merali, Z., 2022. Mental health and climate change in Africa. *BJPsych International* 1–4.
- Bilotta, N., Botti, F., 2022. Paving the Way for Greener Central Banks. *Current Trends and Future Developments around the Globe*. Edizioni Nuova Cultura for Istituto Affari Internazionali (IAI), Rome.
- Climate Change is an Increasing Threat to Africa, 2020. Available from: <https://unfccc.int/news/climate-change-is-an-increasing-threat-to-africa>. (Accessed 9 December 2022).
- Climate Investment Funds, 2020. Climate change and Health in Sub-Saharan Africa: The Case of Uganda. Climate Investment Funds.
- Evans, M., Munslow, B., 2021. Climate change, health, and conflict in Africa's arc of instability. *Perspect. Public Health* 141 (6), 338–341.
- Evans, S., Gabbatiss, J., McSweeney, R., Chandrasekhar, A., Tandon, A., Viglione, G., et al., 2021. COP26: Key outcomes agreed at the UN climate talks in Glasgow. *Carbon Brief* [Internet]. Available from: <https://www.carbonbrief.org/cop26-key-outcomes-agreed-at-the-un-climate-talks-in-glasgow/>. (Accessed 9 December 2022).
- IPCC, 2022. Climate Change 2022: Impacts, Adaptation and Vulnerability. Working Group II Contribution to the IPCC Sixth Assessment Report.
- Opoku, S.K., Leal Filho, W., Hubert, F., Adejumo, O., 2021. Climate change and health preparedness in Africa: analysing trends in six African countries. *Int. J. Environ. Res. Public Health* 18 (9), 4672.
- Ritchie H. Who has contributed most to global CO2 emissions? Our World in Data. <https://ourworldindata.org/contributed-most-global-co2>. (Accessed 9 December 2022).
- Stawicki, S.P., Papadimos, T.J., Galwankar, S.C., Miller, A.C., Firstenberg, M.S., 2021. Reflections on Climate Change and Public Health in Africa in an Era of Global Pandemic.

- Contemporary Developments and Perspectives in International Health Security. 2: Intechopen.
- Trisos, C.H., Adelekan, I.O., Totin, E., Ayanlade, A., Eftire, J., Gemed, A., et al., 2022. *Climate Change 2022: Impacts, Adaptation, and Vulnerability Africa*.
- UN, 2022. The Paris Agreement: United Nations. Available from: <https://www.un.org/en/climatechange/paris-agreement>. (Accessed 9 December 2022).
- Vulnerable twenty group, 2020. *Climate Vulnerable Economies Loss Report. Vulnerable twenty group*, Switzerland.
- WHO, 2016. *Strengthening Health Resilience to Climate Change*.
- WHO, 2021. *COP26 special report on climate change and health: the health argument for climate action*. World Health Organization, Geneva.
- World Bank, 2021. *Climate Change Adaptation and Economic Transformation in Sub-Saharan Africa*.

Lukoye Atwoli

*Department of Internal Medicine, Medical College East Africa,  
Aga Khan University, Kenya  
Brain and Mind Institute, Aga Khan University, Kenya*

Gregory E. Erhabor

*Obafemi Awolowo University, Nigeria  
Chest Unit at the Obafemi Awolowo University Teaching Hospital, Nigeria*

Aiah A. Gbakima

*Technical and Higher Education, Government of Sierra Leone, Sierra Leone*

Abraham Haileamlak

*Jimma University, Ethiopia*

Jean-Marie Kayembe Ntumba

*Pneumology and Respiratory Physiology: Faculty of Medicine,  
University of Kinshasa (DR Congo), Democratic Republic of the Congo*

James Kigera

*Department of Human Anatomy, College of Health Sciences,  
University of Nairobi, Kenya*

Laurie Laybourn-Langton

*Chatham House, UK*

Robert Mash

*Division of Family Medicine and Primary Care,  
Stellenbosch University, South Africa*

Joy Muhia

*London School of Hygiene & Tropical Medicine, UK*

Fhumulani Mavis Malaudzi

*University of Pretoria, South Africa*

David Ofori-Adjei

*University of Ghana, Ghana*

Fricay Okonofua

*Ondo State University of Medical Sciences, Nigeria*

Arash Rashidian

*Science, Information and Dissemination, WHO/EMRO, Egypt*

Maha El Adawy

*Health Promotion, WHO/EMRO, Egypt*

Siaka Sidibe

*Medicine University of Sciences, Techniques and  
Technology of Bamako, Mali*

Abdelmadjid Snouber

*Journal de la Faculté de Médecine d'Oran, Algeria*

James Tumwine  
*School of Medicine at Kabale University, Uganda*

Sahar Yassien Mohammad  
*Education and Students' Affairs, Faculty of Nursing,  
Ain Shams University, Egypt*

Paul Yonga  
*CA Medlynks Clinic and Laboratory, Nairobi Fountain Projects,  
Research Office (FOPRO), Fountain Health Care Hospital, Eldoret, Kenya*

Lilia Zakhama  
*Tunis El Manar University, Faculty of Medicine of Tunis,  
Security Forces Hospital-La Marsa, Cardiology Department, Tunisia*

Chris Zielinski\*  
*Centre for Global Health, Faculty of Health and Wellbeing,  
University of Winchester, UK*  
\*Corresponding author.  
E-mail address: [chris.zielinski@ukhealthalliance.org](mailto:chris.zielinski@ukhealthalliance.org).